BT-50







zoom-zoom

IMAGINATION DRIVES US





Imagination is the world's most valuable resource. It's our window to the future, because if we can imagine it, we can create it. Mazda is built on a foundation of imagination and ingenuity. It's the fuel behind all we create and achieve. It has given us countless successes that once existed only in someone's imagination. These pages show how imagination is an integral part of our innovative cars.





BUILT TO DO IT ALL

Mazda BT-50 is built tough to take on any task, and do it in style. It delivers grunt when you need it, and refined comfort with every drive. Fill it with gear, pull a load or take it off road. As a workhorse or a weekend warrior, it's always up to the challenge.

Smart connectivity, navigation and driver aids mean BT-50 is clever as well as capable. The spacious cabin is a stylish surprise, with a level of passenger comfort that makes it feel more like a car. And it's all protected with advanced safety features like airbags and Dynamic Stability Control. Equipped for work, play and everything in between, BT-50 can do it all - with added Zoom-Zoom.

 $\mathbf{4}$







POWERFUL YET REFINED

When it comes to Mazda BT-50, looks are just the beginning. Built for fun as much as it is for hard work, the exterior is bold and adventurous. With its refined features, it's a cut above others in its class.

Styled with tough lines to match its solid capabilities, the bold new front is strong and powerful for a commanding street presence. The slightly lowered angle toward the front gives it a sense of forward motion - and the perfect balance of strong and sleek.



A CUT ABOVE

With all the comforts of a car, Mazda BT-50 makes it hard to believe you're in a ute. The interior is decked out with quality trims and finishes, like a luxurious leather-bound steering wheel (XTR and GT only). Stay comfortable all year around with powerful heating and cooling, including dual-zone climate control in selected models.

Enjoy clever thinking with useful driver tech, like trip computer, cruise control, Sat Nav and wireless connectivity. Control it all safely from the steering wheel. Crank up the thumping 6-speaker audio system, including a CD player that hosts MP3 and WMA playback. The unit is also USB and Bluetooth® compatible, so you can make and answer phone calls with built-in hands-free connectivity.§









BRING IT ON

When it comes to performance, Mazda BT-50 brings the goods. Built tough from the ground up, its ladder frame chassis provides reinforcement for maximum rigidity. The resulting stability can be felt in car-like handling – even when taking on large payloads. BT-50's powerful engines also make towing light work, hauling boats, caravans and trailers with ease.

Under the bonnet, new generation turbo diesel engines give you the power to get the job done. And harnessing the power is up to you - choose from a rugged 6-speed manual for complete control, or a versatile 6-speed auto that also allows for smooth manual changes.

A GUTSY PERFORMANCE EVERY TIME

Make the most of generous power with responsive performance. Mazda BT-50 takes on the toughest challenges with effortless grunt, thanks to advanced common-rail direct injection. A variable geometry turbocharger reduces lag on the gutsy 2.2L, delivering an effortless 110kW and 375Nm of torque. Choose the 3.2L, and you get 147kW with a whopping 470Nm.

* Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.



2.2L ENGINE

Boosted by a variable geometry turbocharger to reduce lag, the 2.2L engine delivers all the power you need. 4x2 Single Cab Chassis XT's four-cylinder engine gives you 110kW and 375Nm and uses 8.0L/100km.*

(Manual)

Black Engine cover not available on 2.2L Engine.



3.2L ENGINE

Feel the grunt of a five-cylinder engine with common-rail direct injection and intercooling. Pumping out 147kW and 470Nm of torque from 8.9 litres per 100km* (combined), you get effortless muscle for every task

Black Engine cover on XTR and GT models only.





BODY

High-tensile steel is behind the BT-50's durable body shell. Exceptionally strong, it also keeps overall weight down.



CHASSIS

Reinforced with a rigid ladder frame chassis, BT-50 is ready to take on the heavy-duty jobs. Front wishbone suspension and rear leaf suspension cushion the ride for car-like handling on and off the road.



AUTOMATIC TRANSMISSION

Let the intelligent six-speed auto do the work for you, or step in for manual gear shifts when the mood strikes. In auto mode, Active Adaptive Shift (AAS) kicks in – intuitively changing gears to suit your driving conditions.



MANUAL TRANSMISSION

Enjoy the smooth ride of a six-speed manual that delivers fluid precision-shifting ratios. Transition through gear changes with ease for a true sense of control over your vehicle's performance.




TO TAKE ON ANY CHALLENGE


THE STRENGTH


Equipped with power and backbone, BT-50 has the muscle to take on the toughest tasks. Don't be afraid to load it up and give it heaps - it takes on hefty towing jobs and payloads effortlessly. Venture off the beaten track with the rugged 4x4. Backed by the latest driver support tech, uneven terrain has never been easier to conquer. Jump between 2-High and 4-High at the flick of a switch, without stopping the vehicle.

Operated via a console switch, electronic Locking Rear Differential (eLRD) gives you maximum traction on uneven terrain. By locking the rear wheels, torque is distributed evenly between them. If one wheel loses grip, the other continues to provide power, turning the wheel to get traction on the ground.



Single Cab











READY, WILLING AND ABLE

Whether it's navigating new terrain, carrying serious cargo or towing a few tons, BT-50 handles it all without breaking a sweat. The Freestyle Cab offers you the versatility to make room for up to 4 adult passengers, with adjustable seating configurations and clever rear door access.

16







GO ANYWHERE

Built to take on the grunt work, you get all the tech, safety and power you need from the tough Single Cab.

It's a true workhorse - ready to tow the big stuff and carry the heftiest payloads. In selected models there's room for three occupants, featuring a bucket seat for the driver and bench seating for two others. Auto models seat two in comfortable bucket seats.







ROOM TO MOVE

Whether it's power, strength or capability, Mazda BT-50 consistently delivers more. When it comes to space, it's no different. While BT-50 boasts a generous cargo box in the back, you'll be surprised how much smart storage can be found around the cabin too. Tuck your gear away in the split-level centre console space, or the sizeable glovebox that swallows a 16-inch laptop. Drinks and sunnies have their own dedicated spaces, keeping them within grabbing reach on every trip.



TOUGH IN ALL CONDITIONS

BT-50 is ready to handle the demanding driving conditions of Australia's rugged landscape. Challenging terrain is met with gritty performance that adapts to its environment with intelligent driver aids like Dynamic Stability Control (DSC) and Hill Descent Control (HDC). Leave no territory unexplored – be ready for any terrain with the robust 4x4. Switch between 2-High and 4-High at the flick of a console switch without even stopping the vehicle.

While Australia's harsh weather extremes can make being outside unbearable, you'll always be comfortable inside with BT-50's dual-zone climate control (XTR and GT only).





THE CONFIDENCE OF FULL PROTECTION

Feel confident driving a vehicle that's big on safety. Driver support begins with a rigid ride and accurate handling, giving you the capacity to avoid potential hazards.† In the event BT-50 does run into trouble, it's well equipped to deal with it. The reinforced body shell is fitted with front airbags and head-protecting curtain airbags in all models. Freestyle and Dual Cab models also come with the addition of side (front) airbags.

Every seat is armed with three-position seatbelts, with Dual Cab and Freestyle Cab models featuring two child restraint anchor points in the rear.

Roll Stability Control (RSC) monitors your driving data and applies appropriate measures to help prevent rollover. And when your cargo raises BT-50's centre of gravity, you've got Load Adaptive Control (LAC) for extra stability.

Dynamic Stability Control (DSC) helps keep traction in all conditions, managing the engine power and braking force delivered to individual wheels to avoid skidding or loss of grip.

ABS brakes feature Electronic Brake-force Distribution (EBD) which matches braking to vehicle load, while Emergency Brake Assist (EBA) boosts stopping power when emergency braking is sensed. An Emergency Stop Signal (ESS) activates the hazard lights to warn following drivers of sudden deceleration.

† Driver-assistance features do not replace the driver's judgment and are not to be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



















Trailer Sway Control (TSC) adjusts braking and torque to correct any side-to-side swinging movement of towed loads.

BETTER BRAKING

Stopping distance with EBA, ABS and EBD.

Stopping distance with no assistance.



INCLINES MADE EASY

Remove your foot from the brake on an incline and Hill Launch Assist (HLA) keeps the brakes applied, releasing them when there's enough power for a smooth start. While you're on steep slopes, you can engage Hill Descent Control (HDC) to maintain steady control of your speed.



MAKE IT YOUR OWN

Gear up for more action with specially designed Mazda Genuine Accessories. Personalise your BT-50 to take on any challenge, while enhancing its rugged looks and adventurous spirit.

Mazda Genuine Accessories not only add extra toughness, they protect your BT-50 and add value. To discover the full suite of accessories, please refer to the BT-50 Accessories Brochure.









4x2 Single Cab Chassis XT Lo-Rider in Cool White fitted with optional premium alloy tray.

SINGLE CAB FEATURES

ΧТ

- » 16 inch steel wheels
- » Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Air-conditioning
- » Cruise control
- » Lockable glovebox
- » Trip computer

- » Audio system with: AM/FM tuner, single-disc CD player (MP3 compatible) and 4 speakers
- » Bluetooth® hands-free phone and audio capability§
- » Steering wheel-mounted audio controls
- » Airbags SRS: front (driver and and passenger)
- - » Dynamic Stability Control (DSC)
 - » Emergency Stop Signal (ESS)

 - » Traction Control System (TCS)
 - » Trailer Sway Control (TSC)

- passenger) and curtain (driver

» Anti-lock Braking System (ABS)

- » Hill Launch Assist (HLA)
- » Roll Stability Control (RSC)

POWERTRAIN

2.2 LITRE

- » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel engine
- » Drivetrain: 4x2 or 4x2 Hi-Rider
- » Max power: 110kW @ 3,700rpm
- » Max torque: 375Nm @ 1,500-2,500rpm
- » Fuel consumption (combined): 8.0L/100km* (4x2, man) or 8.6L/100km* (4x2 Hi-Rider, auto)

3.2 LITRE

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- » Drivetrain: 4x2 Hi-Rider or 4x4
- » Max power: 147kW @ 3,000rpm
- » Max torque: 470Nm @ 1,750-2,500rpm
- Fuel consumption (combined): 8.9L/100km* (4x2 Hi-Rider, man) or 9.7L/100km* (4x4, man) or 10.0L/100km* (4x4, auto)

§ Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.



GET COMFORTABLE

The single cab features a bucket seat for the driver and bench seating for two others - all finished in durable cloth trim. Auto models seat two in comfortable bucket seats.



CONNECTIVITY ON THE MOVE

Make hands-free calls§ and stream audio with built-in Bluetooth®



SMOOTH CRUISIN'

Maintain a consistent speed and save fuel without the distraction of checking your speedometer.



^{*} Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.



4x4 Freestyle Cab Utility XTR in Blue Reflex Mica.

FREESTYLE CAB FEATURES

ΧТ

- » 16 inch steel wheels
- » Freestyle door system
- Rear step bumper (black) utility only
- » Lockable tailgate utility only
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- » Air-conditioning
- Cruise control
- Lockable glovebox
- » Trip computer
- Audio system with: AM/FM tuner, single-disc CD player (MP3 compatible) and 4 speakers
- » Bluetooth® hands-free phone and audio capability§

- » Steering wheel-mounted audio controls
- Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)
- » Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- » Hill Descent Control (HDC) 4x4 only
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD) - 4x4 only
- Roll Stability Control (RSC)
- » Traction Control System (TCS)
- » Trailer Sway Control (TSC)

XTR ADDITIONAL TO XT

- » 17-inch alloy wheels
- » Door handles (chrome)
- » Front fog-lamps (Halogen)
- » Headlamps auto on/off function
- » Power mirrors (chrome)
- » Rear step bumper (chrome)
- » Side steps (tubular, polished)
- » Wipers (front) 2-speed with rain-sensing function
- » Air-conditioning (dual-zone climate control)
- » Floor covering: carpet
- » Leather-wrapped steering wheel and gear shift knob
- » Audio system with: 6 speakers
- » Satellite navigation

VERSATILITY AND DURABILITY

All seats are finished in quality cloth trim, and how they're configured is up to you.



FREEDOM OF FLEXIBILITY

Open up your interior options with a versatile rear door configuration.




THE RIGHT DIRECTION

In-built navigation leads the way so you can relax and enjoy the ride.

POWERTRAIN

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- » Drivetrain: 4x2 Hi-Rider or 4x4
- » Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- » Fuel consumption (combined): 8.9L/100km* (4x2 Hi-Rider, man) or 9.3L/100km* (4x2 Hi-Rider, auto) or 9.7L/100km* (4x4, man) or 10.0L/100km* (4x4, auto)
- * Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle

[§] Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.









4x4 Dual Cab Utility GT in Titanium Flash Mica.

DUAL CAB FEATURES

ΧT

- » 16 inch alloy wheels utility only
- » Headlamps (Halogen)
- » Power windows and mirrors (black)
- » Rear step bumper (black) utility only »
- » Lockable tailgate utility only
- » Seat trim: Black cloth
- » Air-conditioning
- » Cruise control
- » Lockable glovebox
- » Trip computer
- » Audio system with: AM/FM tuner, single-disc CD player (MP3 compatible) and 6 speakers
- » Bluetooth® hands-free phone and audio capability§
- Steering wheel-mounted audio controls
- » Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)

3.2 litre in-line 5 cylinder 20 valve

» Drivetrain: 4x2 Hi-Rider or 4x4

DOHC intercooled turbo diesel engine

POWERTRAIN

- » Anti-lock Braking System (ABS)
- » Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC) 4x4 only
- Hill Launch Assist (HLA)
- » Locking Rear Differential (LRD) 4x4 only
- » Roll Stability Control (RSC)
- » Traction Control System (TCS)
- » Trailer Sway Control (TSC)

XTR ADDITIONAL TO XT

- » 17 inch alloy wheels
- » Door handles (chrome)
- » Front fog-lamps (Halogen)
- » Headlamps auto on/off function
- » Power mirrors (chrome)

Max torque: 470Nm

@ 1,750-2,500rpm

- » Rear step bumper (chrome)
- » Side steps (tubular, polished)

- » Tailgate lock
- » Wipers (front) 2-speed with rain-sensing function
- » Air-conditioning (dual-zone climate control)
- » Floor covering: carpet
- » Leather-wrapped steering wheel and gear shift knob
- » Rear-view mirror auto dimming
- » Satellite navigation
- » Reverse camera

GT ADDITIONAL TO XTR

- » Power mirrors (heating and folding function) with turn indicator
- » Privacy glass
- » Front seats with: 8-way power adjustment (driver)
- » Seat trim: Black leather#
- Fuel consumption (combined): 8.9L/100km* (4x2 Hi-Rider, man) or 9.3L/100km* (4x2 Hi-Rider, auto) or 9.7L/100km* (4x4, man) or 10.0L/100km* (4x4, auto)
- § Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.


Max power: 147kW @ 3,000rpm

- # Leather interior includes some Maztex material on selected high impact surfaces.
- * Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.



SPACE AND STYLE

Accommodate five adults comfortably in black cloth seating, or select indulgent black leather.*



GET COMFORTABLE

Inviting leather# seats feature 8-way power adjustment for maximum driver comfort. (GT only)



HANDS-FREE CONVENIENCE

Built-in Bluetooth® allows you to stream audio and make hands-free§ phone calls. (XTR and GT only)



4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	
Powertrain		Α1	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	
Engine type		2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel							
Engine capacity		2,	198 cc			3,198 cc -			
Bore and stroke		86.0 mr	m x 94.6 mm			39.0 mm x 100.7	mm		
Compression ratio		1!	5.5 : 1			15.5 : 1			
Maximum power		110 kW @	3,700 rpm		14	47 kW @ 3,000	rpm		
Maximum torque		375 Nm @ 1,	500 - 2,500 rpm		470 N	lm @ 1,750 - 2,5	00 rpm		
Throttle control		Electronic	(drive-by-wire)		Elec	tronic (drive-by	/-wire)		
Fuel system			mon-rail,direct injection				I,i jection		
Fuel tank capacity		80	litres			80 litres			
Recommended fuel			Diesel			Diesel			
Fuel consumption*	man (combined)	8.0 litres per 100 km	-			8.9 litres per 10	0 km		
	auto (combined)	-	8.6 litres per 100 km	-	9.3 litres per 100 km	-	9.3 litres per 100 km	9.3 litres per 100 km	
Emissions standard		Euro	stage V			Euro stage	V		
Alternator		12 vol	ts - 110 amps			· 12 volts - 110 ar	mps		
Manual transmission		6-speed	-			6-speed			
Automatic transmission		-	6-speed	-	6-speed	-	6-speed	6-speed	
Gear ratio - man/auto	1st	5.441 / -	- / 4.171	5.441 / -	5.441 / 4.171	5.441 / -	5.441 / 4.171	5.441 / 4.171	
	2nd	2.839 / -	- / 2.342	2.839 / -	2.839 / 2.342	2.839 / -	2.839 / 2.342	2.839 / 2.342	
	3rd	1.721 / -	- / 1.521	1.721 / -	1.721 / 1.521	1.721 / -	1.721 / 1.521	1.721 / 1.521	
	4th	1.223 / -	- / 1.143	1.223 / -	1.223 / 1.143	1.223 / -	1.223 / 1.143	1.223 / 1.143	
	5th	1.000 / -	- / 0.867	1.000 / -	1.000 / 0.867	1.000 / -	1.000 / 0.867	1.000 / 0.867	
	6th	0.794 / -	- / 0.691	0.794 / -	0.794 / 0.691	0.794 / -	0.794 / 0.691	0.794 / 0.691	
	reverse	4.935 / -	- / 3.403	4.935 / -	4.935 / 3.403	4.935 / -	4.935 / 3.403	4.935 / 3.403	
	final drive	3.310 / -	- / 3.550	3.550 / -	3.550 / 3.730	3.550 / -	3.550 / 3.730	3.550 / 3.730	
Weights and capacities									
Axle capacity	front	1,324 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	
	rear	1,752 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	
Gross Combined Mass (GCM) $^{\infty}$	man	5,425 kg	-	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	
	auto	-	6,000 kg	-	6,000 kg	-	6,000 kg	6,000 kg	
Gross Vehicle Mass (GVM)	man	2,925 kg	-	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	
	auto	-	3,200 kg	-	3,200 kg	-	3,200 kg	3,200 kg	
Kerb weight [□]	man	1,622 kg	-	1,695 kg	1,773 kg	1,832 kg	1,922 kg	1,988 kg	
	auto	-	1,667 kg	-	1,798 kg	-	1,939 kg	2,005 kg	
Kerb weight when fitted with	man	1,765 kg	-	1,839 kg	1,898 kg	1,946 kg	-	-	
Mazda Standard Alloy Tray '	auto	-	1,811 kg	-	1,923 kg	-	-	-	
Payload [≈]	man	1,303 kg	-	1,505 kg	1,427 kg	1,368 kg	1,278 kg	1,212 kg	
	auto	-	1,533 kg	-	1,402 kg	-	1,261 kg	1,195 kg	
Payload when fitted with	man	1,160 kg	-	1,361 kg	1,302 kg	1,254 kg	-	-	
Mazda Standard Alloy Tray [≈]	auto	-	1,389 kg	-	1,277 kg	-	-	-	
Seating capacity	man	3	-	3	4	5	5	5	
	auto	-	2	-	4	-	5	5	
Tow ball download $^{\circ}$	maximum	250 kg	350 kg	350 kg	350 kg	350 kg	350 kg	350 kg	
Towing capacity [°]	braked	2,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	
	unbraked	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg	

^{– =} Not available.

- * Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.
- ∞ Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.
- ${\tt I\!I} \ \ {\tt Gross\ Vehicle\ Mass\ (GVM)}\ is\ the\ total\ permissible\ weight\ of\ the\ vehicle\ including\ occupants,\ fuel\ and\ cargo.$
- $\ensuremath{\neg}$ Kerb Weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.
- ≈ Maximum payload weight is calculated as the difference between GVM and Kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.


4x4		3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Freestyle Cab Utility XTR	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	3.2L Dual Cab Utility GT		
Powertrain		Α.	Α.	XIII	Α.	A.I	XIII	0.		
Engine type		3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel								
Engine capacity										
Bore and stroke					89.0 mm x 100.7	mm				
Compression ratio					15.5 : 1					
Maximum power					147 kW @ 3,000	rpm				
Maximum torque Throttle control				470	Nm @ 1,750 - 2,	500 rpm				
				Ele	ectronic (drive-by	y-wire)				
Fuel system				Common-	rail, electronic di	rect injection				
Fuel tank capacity					80 litres					
Recommended fuel					Diesel					
uel consumption* man (combined)					9.7 litres per 100	km				
	auto (combined)	10.0 litres per 100 km	10.0 litres per 100 km	10.0 litres per 100 km	-	10.0 litres per 100 km	10.0 litres per 100 km	10.0 litres per 100 km		
Emissions standard					Euro stage V					
Alternator					- 12 volts - 110 an	nps				
Manual transmission					6-speed					
Automatic transmission		6-speed	6-speed	6-speed	-	6-speed	6-speed	6-speed		
Gear ratio - man/auto	1st	5.441 / 4.171	5.441 / 4.171	5.441 / 4.171	5.441 / -	5.441 / 4.171	5.441 / 4.171	5.441 / 4.171		
	2nd	2.839 / 2.342	2.839 / 2.342	2.839 / 2.342	2.839 / -	2.839 / 2.342	2.839 / 2.342	2.839 / 2.342		
	3rd	1.721 / 1.521	1.721 / 1.521	1.721 / 1.521	1.721 / -	1.721 / 1.521	1.721 / 1.521	1.721 / 1.521		
	4th	1.223 / 1.143	1.223 / 1.143	1.223 / 1.143	1.223 / -	1.223 / 1.143	1.223 / 1.143	1.223 / 1.143		
	5th	1.000 / 0.867	1.000 / 0.867	1.000 / 0.867	1.000 / -	1.000 / 0.867	1.000 / 0.867	1.000 / 0.867		
	6th	0.794 / 0.691	0.794 / 0.691	0.794 / 0.691	0.794 / -	0.794 / 0.691	0.794 / 0.691	0.794 / 0.691		
	reverse	4.935 / 3.403	4.935 / 3.403	4.935 / 3.403	4.935 / -	4.935 / 3.403	4.935 / 3.403	4.935 / 3.403		
	final drive	3.550 / 3.730	3.550 / 3.730	3.550 / 3.730	3.550 / -	3.550 / 3.730	3.550 / 3.730	3.550 / 3.730		
Transfer gear	high	1.000	1.000	1.000	1.000	1.000	1.000	1.000		
	low	2.718	2.718	2.718	2.718	2.718	2.718	2.718		
Weights and capacities										
Axle capacity	front	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg		
	rear	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg		
Gross Combined Mass $(GCM)^{\infty}$	man	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg		
	auto	6,000 kg	6,000 kg	6,000 kg	-	6,000 kg	6,000 kg	6,000 kg		
Gross Vehicle Mass (GVM) [∥]	man	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg		
	auto	3,200 kg	3,200 kg	3,200 kg	-	3,200 kg	3,200 kg	3,200 kg		
Kerb weight [¬]	man	1,792 kg	1,860 kg	2,042 kg	1,932 kg	2,022 kg	2,091 kg	2,104 kg		
	auto	1,820 kg	1,885 kg	2,056 kg	-	2,036 kg	2,105 kg	2,118 kg		
Kerb weight when fitted with	man	1,936 kg	1,985 kg	-	2,046 kg	-	-	-		
Mazda Standard Alloy Tray	auto	1,964 kg	2,010 kg	-	-	-	-	-		
Payload≈	man	1,408 kg	1,340 kg	1,158 kg	1,268 kg	1,178 kg	1,109 kg	1,096 kg		
	auto	1,380 kg	1,315 kg	1,144 kg	-	1,164 kg	1,095 kg	1,082 kg		
Payload when fitted with	man	1,264 kg	1,215 kg	-	1,154 kg	-	-	-		
Mazda Standard Alloy Tray≈	auto	1,236 kg	1,190 kg	-	-	-	-	-		
Seating capacity	man	3	4	4	5	5	5	5		
	auto	2	4	4	5	5	5	5		
Tow ball download $^{\gamma}$	maximum	350 kg	350 kg	350 kg	350 kg	350 kg	350 kg	350 kg		
Towing capacity $^{\gamma}$	braked	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg		
	unbraked	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg		


^{– =} Not available.

SPECIFICATIONS

4x2		(A) 2.2L Single Cab Chassis XT	B 2.2L Single Cab Chassis XT	© 3.2L Single Cab Chassis XT	D 3.2L Freestyle Cab Chassis XT	E 3.2L Dual Cab Chassis XT	F 3.2L Dual Cab Utility XT	© 3.2L Dual Cab Utility XTR
Chassis			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider
Brake diameter	front				302 mm			
	rear				270 mm			
Brake type	front				Ventilated disc -			
	rear				Drum			
Steering type					nion hydraulic powe			
Suspension type	front		Indep	endent double wi	shbone with coil ov	er dampers and a	nti-roll bar	
	rear			Rigid (live) rear axle with	leaf springs		
Turning circle	kerb to kerb	11.8 m	12.4 m	12.4 m	12.4 m	12.4 m	12.4 m	12.4 m
Tyre size		215/70 R16C	255/70 R16	255/70 R16	255/70 R16	255/70 R16	255/70 R16	265/65 R17
Tyre index		106/108S	111T	111T	111T	111T	111T	112T
Wheel size		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J
Wheel type		Steel	Steel	Steel	Steel	Steel	Alloy	Alloy
Wheel size (spare)		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel
Dimensions								
Cargo box floor height to ground		-	-	-	-	-	835 mm	841 mm
Cargo box floor length		-	-	-	-	-	1,549 mm	1,549 mm
Cargo box floor width		-	-	-	-	-	1,560 mm	1,560 mm
Cargo box height		-	-	-	-	-	513 mm	513 mm
Cargo box tailgate openi	ing width	-	-	-	-	-	1,330 mm	1,330 mm
Cargo box top length		-	-	-	-	-	1,485 mm	1,485 mm
Cargo box top width		-	-	-	-	-	1,500 mm	1,500 mm
Cargo box width betwee	n wheel arches	-	-	-	-	-	1,139 mm	1,139 mm
Ground clearance	laden	135 mm	200 mm	200 mm	200 mm	200 mm	200 mm	205 mm
	unladen	201 mm	232 mm	232 mm	232 mm	232 mm	232 mm	237 mm
Overall height		1,703 mm	1,800 mm	1,800 mm	1,804 mm	1,815 mm	1,815 mm	1,821 mm
Overall length		5,124 mm	5,124 mm	5,124 mm	5,124 mm	5,124 mm	5,373 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	985 mm	985 mm	985 mm	1,234 mm	1,226 mm
Track	front	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		600 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		22.0°	27.6°	27.6°	27.6°	27.6°	27.6°	28.20
Departure angle		24.00	28.40	28.40	28.40	28.40	27.10	26.4°
Ramp breakover angle		17.0°	24.40	24.40	24.40	24.40	24.40	25.0°

^{– =} Not available.







4x4		H 3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	J 3.2L Freestyle Cab Utility XTR	(K) 3.2L Dual Cab Chassis XT	L 3.2L Dual Cab Utility XT	M 3.2L Dual Cab Utility XTR	N 3.2L Dual Cab Utility GT
Chassis								•.
Brake diameter	front				302 mm			
	rear				295 mm			
Brake type	front				Ventilated disc	:		
	rear				Drum			
Steering type				Rack and pini	on hydraulic pow	er assist steering -		
Suspension type	front		Indepe	ndent double wish	bone with coil ov	er dampers and ar	nti-roll bar	
	rear			Rigid (liv	e) rear axle with	leaf springs		
Turning circle	kerb to kerb				12.4 m			
Tyre size		255/70 R16	255/70 R16	265/65 R17	255/70 R16	255/70 R16	265/65 R17	265/65 R17
Tyre index		111T	111T	112T	111T	111T	112T	112T
Wheel size		16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	17 x 8.0 J
Wheel type		Steel	Steel	Alloy	Steel	Alloy	Alloy	Alloy
Wheel size (spare)		16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	17 x 7.5 J
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel
Dimensions								
Cargo box floor height to	o ground	-	-	841 mm	-	835 mm	841 mm	841 mm
Cargo box floor length		-	-	1,847 mm	-	1,549 mm	1,549 mm	1,549 mm
Cargo box floor width		-	-	1,560 mm	-	1,560 mm	1,560 mm	1,560 mm
Cargo box height		-	-	513 mm	-	513 mm	513 mm	513 mm
Cargo box tailgate openi	ing width	-	-	1,330 mm	-	1,330 mm	1,330 mm	1,330 mm
Cargo box top length		-	-	1,783 mm	-	1,485 mm	1,485 mm	1,485 mm
Cargo box top width		-	-	1,500 mm	-	1,500 mm	1,500 mm	1,500 mm
Cargo box width betwee	n wheel arches	-	-	1,139 mm	-	1,139 mm	1,139 mm	1,139 mm
Ground clearance	laden	200 mm	200 mm	205 mm	200 mm	200 mm	205 mm	205 mm
	unladen	232 mm	232 mm	237 mm	232 mm	232 mm	237 mm	237 mm
Overall height		1,800 mm	1,804 mm	1,810 mm	1,815 mm	1,815 mm	1,821 mm	1,821 mm
Overall length		5,124 mm	5,124 mm	5,365 mm	5,124 mm	5,373 mm	5,365 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	1,226 mm	985 mm	1,234 mm	1,226 mm	1,226 mm
Track	front	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		27.6°	27.6°	28.20	27.6°	27.6°	28.20	28.20
Departure angle		28.40	28.40	26.40	28.40	27.10	26.40	26.40
Ramp breakover angle		24.40	24.40	25.0°	24.40	24.40	25.0°	25.0°

^{– =} Not available.









4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR
Exterior			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider
Cargo box	double wall construction	-	-	-	-	-	•	•
features	interior rope hooks (6)	-	-	-	-	-	•	•
	lockable centre tailgate release (black)	-	-	-	-	-	•	-
	lockable centre tailgate release (chrome)	-	-	-	-	-	-	•
Door handles (blac	k)	•	•	•	•	•	•	-
Door handles (chro	me)	-	-	-	-	-	-	•
Fog-lamps (front)		-	-	-	-	-	-	•
Freestyle door syst	em	-	-	-	•	_	-	-
Front bumper (bod		•	•	•	•	•	•	•
Fuel filler cap (lock		•	•	•	•	•	_	_
		•	•	•	•	•		
	creen, side and rear windows	-	-			•	•	•
Headlamps (Haloge		•	•	•	•	•	•	•
Metallic/Mica paint		0	0	0	0	0	0	0
Mudflaps (front)		•	•	•	•	•	•	•
Mudflaps (rear)		-	-	-	-	-	•	•
Power mirrors (black	ck)	•	•	•	•	•	•	-
Power mirrors (chr	ome)	-	-	-	-	-	-	•
	ome, folding function, heated)							
with turn indicator	, , ranction, neutral	-	-	-	-	-	-	-
Power windows		•	•	•	•	•	•	•
Privacy glass		-	-	-	-	-	-	-
Rear step bumper ((black)	_	_	_	_	_		_
							_	
Rear step bumper (-	_	_	_	_		
Side steps (tubular,	polished)	-	-	-	-	-	-	•
Tailgate (lockable)		-	-	-	-	-	•	•
Under-body impact	protection	-	-	-	-	-	-	-
Interior								
			_	_	_	_	_	
Air-conditioning		•	•	•	•	•	•	-
Air-conditioning (d	ual-zone climate control)	-	-	-	-	-	-	•
Ambient temperatu	ıre gauge	-	-	-	-	-	-	•
Auxiliary 12 volt po	wer outlets	•	•	•	•	•	•	•
Centre armrest cor	sole with dual compartments	-	•	-	•	•	•	•
Critical function wa	arning lights/chimes	•	•	•	•	•	•	•
Cruise control		•	•	•	•	•	•	•
Cupholders		•	•	•	•	•	•	•
Door pockets			•			•		
•								
Driver's left footres		•	•	•	•	•	•	•
Floor covering	carpet		-	-	-	-	_	•
	vinyl	•	•	•	•	•	•	-
Glove box (lockable	e and illuminated)	•	•	•	•	•	•	•
Headlamps auto on	off function	-	-	-	-	-	-	•
Illuminated entry s	ystem with delayed fade	•	•	•	•	•	•	•
nstrument panel li		•	•	•	•	•	•	•
Interior	dome lamp	-	-	-	•	•	•	•
llumination	map reading spot lamps							
		•						•
	power window switch (driver)	•	•	•	•		•	•
Leather-wrapped	gear shift knob steering wheel	-	-	-	-	-	-	•
Low fuel warning li	· · · · · · · · · · · · · · · · · · ·	•	•	•	•	•	•	•
-	down) power window (driver)	•		•		•		
Overhead sunglass	•		•	•	•	•	•	•
		•		•		•		•
Passenger assist gi		-	•	•	•		•	•
	ith auto dimming function	-	-	_	-		_	•
	ectronic odometer/tripmeter	•	•	•	•	•	•	•
Tilt-adjustable stee	ring wheel	•	•	•	•	•	•	•
Trip computer (cur consumption, dista vehicle speed)	rent and average fuel nce to empty and average	•	•	•	•	•	•	•
Vanity mirror (fron	t passenger)	•	•	•	•	•	•	•
Window demister (1				•				
		_			•	•	•	•
	eed with rain-sensing function	-	_	_		_	_	•
Wipers (front) 2-speintermittent function		•	•	•	•	•	•	-

ullet = Standard Feature, – = Not available, O = No Cost Option.

4 x 4		3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Freestyle Cab Utility XTR	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	3.2L Dual Cab Utility GT
Exterior		Λ1	A1	AII	Λ1	Α1	XIII	01
Cargo box	double wall construction	-	-	•	-	•	•	•
eatures	interior rope hooks (6)	-	-	•	-	•	•	•
	lockable centre tailgate release (black)	-	-	-	-	•	-	-
	lockable centre tailgate release (chrome)	-	-	•	-	-	•	•
Door handles (bla	ck)	•	•	-	•	•	-	-
Door handles (chr	rome)	-	-	•	-	-	•	•
og-lamps (front)		-	-	•	-	-	•	•
reestyle door sy:	stem	-	•	•	-	-	-	-
ront bumper (bo		•	•	•	•	•	•	•
Fuel filler cap (loc		•	•	_	•	_	_	_
	Iscreen, side and rear windows	•	•	•	•	•		•
Headlamps (Halo		•	•	•	•	•	•	•
•	•							0
Metallic/Mica pair	11	0	0	0	0	0	0	0
Mudflaps (front)		•	•	•	•	•	•	•
Mudflaps (rear)		-	-	•	-	•	•	•
Power mirrors (bl	ack)	•	•	-	•	•	-	-
Power mirrors (ch	nrome)	-	-	•	-	-	•	•
Power mirrors (ch with turn indicato	rome, folding function, heated) r	-	-	-	-	-	-	•
Power windows		•	•	•	•	•	•	•
Privacy glass		-	-	-	-	-	-	•
Rear step bumper	(black)	-	-	-	-	•	_	-
Rear step bumper		_	_	•	_	_	•	•
Side steps (tubula		_	_		_	_		
Tailgate (lockable		_	_		_			
				•		•	_	-
Jnder-body impa	ct protection	•	•	•	•	•	•	•
nterior								
Air-conditioning		•	•	_	•	•	_	_
-	dual-zone climate control)	_		•	_	_		•
Ambient tempera		-	_	•	_	_	•	
				•	_		•	
Auxiliary 12 volt p		•	•	•	•	•	-	•
	onsole with dual compartments	-	•	•	•	•	•	•
	varning lights/chimes	•	•	•	•	•	•	•
Cruise control		•	•	•	•	•	•	•
Cupholders		•	•	•	•	•	•	•
Door pockets		•	•	•	•	•	•	•
Oriver's left footr	est	•	•	•	•	•	•	•
loor covering	carpet	-	-	•	-	-	•	•
	vinyl	•	•	_	•	•	-	-
Slove hox (lockah	le and illuminated)	•	•	•	•			
Headlamps auto o		_	_	•	_	_		
				•				
	system with delayed fade	•		•	•		•	•
nstrument panel		•	•	•		•	•	•
nterior	dome lamp	-	•	•	•	•	•	•
llumination	map reading spot lamps	•	•	•	•	•	•	•
	power window switch (driver)	•	•	•	•	•	•	•
eather-wrapped	gear shift knob	-	-	•	-	-	•	•
	steering wheel	-	-	•	-	-	•	•
ow fuel warning	light	•	•	•	•	•	•	•
One touch (up an	d down) power window (driver)	•	•	•	•	•	•	•
Overhead sunglas		•	•	•	•	•	•	•
Passenger assist		•	•	•	•	•	•	•
	with auto dimming function	_	_	•	_	_		
	•			•				•
	electronic odometer/tripmeter	•	•	•	•	•	•	•
	rrent and average fuel	•	•	•	•	•	•	•
consumption, dist rehicle speed)	ance to empty and average							
Vanity mirror (fro	nt passenger)	•	•	•	•	•	•	•
Vindow demister	(rear)	•	•	•	•	•	•	•
mindon demister								
	peed with rain-sensing function	-	_	•	_	_	•	•

ullet = Standard Feature, – = Not available, $oldsymbol{O}$ = No Cost Option.

38

4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR
Seats		Α.	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider
Front seat (driver	8-way power adjustment	-	-	-	-	-	-	-
bucket) with:	adjustable head restraint	_	•	•	•	•	•	•
	height and lumbar adjustment	_	•	_	•	•	•	•
	rake and slide adjustment	•	•	•	•	•	•	•
Front seat	adjustable head restraint	•	_		_	_		-
(passenger bench) with:	adjustable flead festiallit	·		•				
Front seat	adjustable head restraint	-	•	-	•	•	•	•
(passenger bucket) with:	rake and slide adjustment	-	•	-	•	•	•	•
bucket) with.	seat back pocket	-	•	-	•	•	•	•
Rear seat (bench)	adjustable head restraints	-	-	-	-	•	•	•
with:	centre armrest	-	-	-	-	-	-	•
	foldable seat base and under-seat storage	-	-	-	-	•	•	•
Rear seat (jump) with:	removable seat base and under-seat storage	-	-	-	•	-	-	-
Seat trim:	black cloth	•	•	•	•	•	•	•
Seat trim:	black leather#	-	-	-	-	-	-	-
Infotainment								
7.8-inch full colour	touch screen display	-	-	-	-	-	-	•
AM/FM tuner		•	•	•	•	•	•	•
Auxiliary input (3.5	imm MP3 player compatible)	•	•	•	•	•	•	•
Bluetooth® hands-f	ree phone and audio capability§	•	•	•	•	•	•	•
CD player, single di	sc (MP3/WMA compatible)	•	•	•	•	•	•	•
Satellite navigation		-	-	-	-	-	-	•
Speakers (4)		•	•	•	•	-	-	_
Speakers (6)		-	-	-	-	•	•	•
•	unted audio controls	•	•	•	•	•	•	•
USB input (iPod® c		•				•		
O3B IIIput (IFOu C	ompatible)	•	•	•	•			_
Safety and Securi	ty							
Airbags SRS	curtain (front)	•	•	•	-	-	-	-
	curtain (front and rear)	-	-	-	•	•	•	•
	front (driver and passenger)	•	•	•	•	•	•	•
	side (front)	-	-	-	•	•	•	•
Anti-lock Braking S		•	•	•	•	•	•	•
		_	_	_	•	•		
Child restraint and	·				_			
Childproof rear doo					•			
•	control (DSC) - switchable on/off	•	•	•	•	•	•	•
	orce Distribution (EBD)	•	•	•	•	•	•	•
Emergency Brake A		•	•	•	•	•	•	•
Emergency Stop Si	gnal (ESS)	•	•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•	•
High mount stop la	mp	-	-	-	-	-	•	•
Hill Descent Contro	ol (HDC)	-	-	-	-	-	-	-
Hill Launch Assist ((HLA)	•	•	•	•	•	•	•
Intrusion-minimisir	ng brake pedal	•	•	•	•	•	•	•
	vex (wide angle) exterior mirror	•	•	•	•	•	•	•
Load Adaptive Con		•	•	•	•	•	•	•
·	rential (LRD) - switchable on/off	-	-	-	_	_	-	-
Remote central loc (2 transmitters wit	king	•	•	•	•	•	•	•
Reverse camera		-	-	-	-	-	-	•
Roll Stability Contr	ol (RSC)	•	•	•	•	•	•	•
	audible and visual (driver)	•	•	•	•	•		•
Seat-belt warning a (front passenger)		-	-	-	•	•	•	•
Seat-belts 3-point I	ap-sash (all seats)	•	•	•	•	•	•	•
Seat-belts	height adjustable shoulder	-	-	-	-	•	•	•
(front) with	anchorages pretensioners	•	•	•	•	•	•	•
	and load limiters							
Tide increase to the	Pams	•		•	•	•	•	•
Side impact door b Traction Control Sy								

= Standard	Feature	= Not	available.

[#] Leather interior includes some Maztex material on selected high impact surfaces.

4 x 4		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Freestyle Cab Utility	3.2L Dual Cab Chassis	3.2L Dual Cab Utility	3.2L Dual Cab Utility	3.2L Dual Cab Utility
Seats		ХТ	ХТ	XTR	XT	хт	XTR	GT
ront seat (driver	8-way power adjustment	_	-	-	-	-	-	•
oucket) with:	adjustable head restraint	•	•	•	•	•	•	•
	height and lumbar adjustment	A	•	•	•	•	•	•
	rake and slide adjustment	•	•	•	•	•	•	•
ront seat passenger pench) with:	adjustable head restraint	•	-	-	-	-	-	-
ront seat	adjustable head restraint	A						
passenger	rake and slide adjustment	<u> </u>		•	•			
oucket) with:	seat back pocket	<u> </u>						•
Rear seat (bench)		_	_	_	_	•		
vith:	centre armrest	_			_	_	-	
		_	-	_	_	-		
Rear seat (jump)	foldable seat base and under-seat storage	_		_	_			
vith:	removable seat base and under-seat storage	_	_		_			
Seat trim:	black cloth	•	•	•	•	•	•	-
Seat trim:	black leather#	-	-	-	-	-	-	•
nfotainment								
	r touch screen display	_	_	•	_	_	•	•
	reacti screen display			•				
AM/FM tuner	Emm MD2 player compatible		•		•		•	•
	5mm MP3 player compatible)	•			•			
	-free phone and audio capability§	•	•		•	•	•	•
	disc (MP3/WMA compatible)	•	•	•	•	•	•	•
Satellite navigatio	n	-	-	•	-	-	•	•
Speakers (4)		•	•	_	-	_	_	-
Speakers (6)		-	_	•	•	•	•	•
	ounted audio controls	•	•	•	•	•	•	•
JSB input (iPod® o	compatible)	•	•	•	•	•	•	•
Safety and Secur	·itv							
Airbags SRS	curtain (front)	•	_	_	_	_	_	_
All bags area	curtain (front and rear)	-						
			•	•	•	•	•	•
	front (driver and passenger)	•					•	
Nati Iaali Bashisa i	side (front)	-					•	
Anti-lock Braking :	·	•	-	•	•	•	•	•
Child restraint and		-	•	•	•	•	•	•
Childproof rear do		-	-	-	•	•	•	•
	Control (DSC) - switchable on/off	•	•	•	•	•	•	•
	orce Distribution (EBD)	•	•	•	•	•	•	•
Emergency Brake		•	•	•	•	•	•	•
Emergency Stop S		•	•	•	•	•	•	•
Engine immobilise	er	•	•	•	•	•	•	•
High mount stop la	amp	-	-	•	-	•	•	•
Hill Descent Contr	ol (HDC)	•	•	•	•	•	•	•
Hill Launch Assist	(HLA)	•	•	•	•	•	•	•
ntrusion-minimisi	ng brake pedal	•	•	•	•	•	•	•
_eft-hand-side cor	nvex (wide angle) exterior mirror	•	•	•	•	•	•	•
oad Adaptive Co	ntrol (LAC)	•	•	•	•	•	•	•
	rential (LRD) - switchable on/off	•	•	•	•	•	•	•
Remote central lo		•	•	•	•	•	•	•
Reverse camera		-	-	•	-	-	•	•
Roll Stability Cont	rol (RSC)	•	•	•	•	•	•	•
	audible and visual (driver)	•	•	•	•	•	•	•
	audible and visual	-	•	•	•	•	•	•
Seat-belt warning Seat-belt warning								
Seat-belt warning Seat-belt warning front passenger)	lan cach (all costs)			_	•	•	•	•
Seat-belt warning Seat-belt warning front passenger) Seat-belts 3-point	lap-sash (all seats)	•	•					_
Seat-belt warning Seat-belt warning front passenger)	height adjustable shoulder anchorages	-	-	-	•	•	•	•
eat-belt warning eat-belt warning front passenger) eat-belts 3-point eat-belts	height adjustable shoulder		-	•	•	•	•	•
eat-belt warning eat-belt warning front passenger) eat-belts 3-point eat-belts	height adjustable shoulder anchorages pretensioners and load limiters	-	•	•	•	•	•	•

^{● =} Standard Feature, - = Not available, ■ = Manual only, ▲ = Automatic only.

[§] Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.

ENJOY MAZDA BT-50 WITH CONFIDENCE

MAZDA BT-50 COLOUR AND TRIM



REST ASSURED - YOUR WARRANTY

The quality built into BT-50 is backed up by a 2-year, unlimited kilometre factory warranty. If you haven't reached 100,000 kilometres at the end of two years, cover extends to 3-years or 100,000 kilometres, whichever should occur first.

HELP IS AT HAND - MAZDA ROADSIDE ASSISTANCE

Flat batteries, running out of fuel, flat tyres – everyone faces hiccups from time to time. When the unexpected happens, Mazda Roadside Assistance is there to keep you moving. You'll be covered 24 hours a day, 365 days a year, all around Australia. Better still, your Mazda will only be worked on by Mazda-approved technicians. Choose a Standard policy offering everything needed to get going again, or Premium with extras like accommodation, a rental car and vehicle recovery. Either can be purchased across the entire Mazda range. (Terms and conditions apply.)

BT-50 FOR YOUR BUSINESS

The BT-50 Fleet program offers tailored deals for businesses of any size. Contact your local Dealer for more information.




MAINTAIN THAT ZOOM-ZOOM

Your BT-50 deserves the best in care. Servicing with Mazda Service Select gives your vehicle the advantage of factory-trained Service Technicians and advanced computer diagnostic systems. As well as maintaining your Mazda in A1 condition, you'll also be protecting your vehicle's outstanding resale value.



BODY COLOURS





INTERIOR TRIMS



All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. Due to the nature of the printing process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample.

43

42

[#] Leather interior includes some Maztex material on selected high impact surfaces.







MAKE YOUR MAZDA EVEN MORE REWARDING

The powerful Mazda BT-50 can take you on any adventure. Combining durability with superior passenger comfort, it's now even more impressive, with a refreshed exterior for a tough new look. Personalise and protect your BT-50 with Mazda Genuine Accessories that deliver superb design, quality and safety, all backed by a Genuine Mazda Warranty. Mazda Genuine Accessories give you even more Zoom-Zoom.

Prepare your BT-50 for some serious off-road fun and don't be afraid to go hard with tough-looking gear that guards against damage.



BOSS TOURING PACK

These tough and stylish accessories will make you want to hit the road more often.

Canopy
Electronic brake controller
Lightforce driving lights
Pollshed nudge bar
Tow bar kit






HARD TONNEAU COVER

Keep your cargo secure with the lockable protection of a durable hard tonneau cover. Available exclusively for utilities, with or without sports bar fitted.



BLACK SPORTS BAR & SOFT TONNEAU COVER

Add sports appeal and keep your BT-50's load compartment secure with this durable soft tonneau cover and black sports bar. Available exclusively for utilities. Polished sports bar also available.



FRONT PARKING SENSORS

Manoeuvre your BT-50 into tight spaces with front sensors that give you audible guidance.



POLISHED LADDER RACK FOR SPORTS BAR

Transport ladders and other long items securely with a rack that's made for the job. Holds up to 75kg. Also available in black. (Utilities only)



BLACK NUDGE BAR

Enhances the look of your BT-50 while adding extra protection. Features mounting for optional Lightforce driving lights.



POLISHED NUDGE BAR

Toughen up the front of your BT-50. Offers extra protection and incorporates mounts for optional Lightforce driving lights.



REVERSE PARKING SENSORS

Park your BT-50 with ease with this four-sensor system. A warning tone helps prevent bumper damage by alerting you to obstacles. (Utilities only)



SNORKEL

Allows the engine to breathe in dusty conditions or through water crossings.



FENDER FLARES

Protect your BT-50's bodywork from rocks and road debris while drawing attention to its impressive wheel arches. Fender flares are available in matte black or body colour. (Front only or front and rear available)



RETRACTABLE ALLOY TONNEAU COVER

Made from durable aluminium, this easily-accessible tonneau cover has multiple locking positions and can be operated with the pull strap. (Dual Cab Utilities only)



CAB CHASSIS TRAY MAT

Protect the surface of your BT-50's tray with this tailor-made non-slip mat. (Single Cab Chassis only)



UTILITY TRAY MAT

Give your utility tray a protective, non-slip surface that's fitted for maximum coverage. (Utilities only)



Available with 3 window variations. (Dual Cab Utilities only)

TAILGATE DUST SEAL

CANOPY

Fits to the inside of your BT-50's tailgate to restrict the entry of dust and water.



THE

TAILGATE 'EZ DOWN'

Cover your gear securely with this spacious canopy made from tough ABS plastic. Complete with a lockable rear door that lifts for easy access.

Equip your tailgate with a damper that offers soft-release, hands-free lowering.



TUB AND TAILGATE LINER

Surface protection tailored to your BT-50. This durable liner is highly resistant to UV light and withstands exposure to chemicals like paint and fuel. (Utilities only)



DUAL BATTERY KIT

Run powerful electrical equipment from this unit without the risk of draining your BT-50's main battery. Fitted with one standard 12V and one Merit socket. (Utilities only)



SINGLE 12-VOLT AUXILIARY SOCKET

Operate electrical appliances on-the-go with an independent 15-amp socket. (Utilities only)



DOUBLE 12-VOLT AUXILIARY SOCKET

Power electrical appliances with two in-built, 15-amp sockets with smart circuit, battery protection and handy touch light. Fitted with one standard 12V and one Merit socket.



MATTE BLACK BONNET PROTECTOR Keep your paintwork safe from chips and dents.



CLEAR BONNET PROTECTOR Protect your BT-50's bonnet from costly damage.



WEATHERSHIELDS Made from UV-resistant acrylic, weathershields let fresh air in while keeping the elements out. (Front only)



RUBBER FLOOR MATS Heavy-duty mats custom-made for complete coverage.



FRONT SEAT COVERS

Keep your front seats grime-free with these durable, customised covers. Made from waterproof neoprene, they're fully airbag compatible.



HEADLIGHT PROTECTORS

Protect your BT-50's headlamps from damage caused by road debris.



MOBILE PHONE HOLDER

Safe, stylish and compatible with many phones, this holder gives drivers easy phone visibility and access. Allows for portrait and landscape use.



Prolong the life of your rear seats with this lightweight, waterproof cover.

Shields from dirt, spills, pets and everyday wear and tear. (Dual Cab only)

UHF RADIO

CARPET FLOOR MATS

REAR SEAT COVER

mats include a heel pad for the driver's side.

Customised mats to prolong the life of your carpets. These durable

Stay connected and safe in remote areas with this reliable 80 channel UHF radio unit.



SLIMLINE WEATHERSHIELDS

Allow fresh air into the cabin whatever the weather, allowing heat to escape and preventing windows from fogging. (Set of two or four)



SCUFF PLATES

Protect door sills from scratching and scuffs with this stylish addition $\label{eq:control_eq} % \begin{center} \begin{cente$ to your BT-50.



SAFETY PACK

Attract attention in an emergency situation and warn of hazards with this safety kit featuring lights, reflective vest and triangular road sign.



STANDARD MAZDA ALLOY TRAY

This tough alloy tray comes equipped with an angled headboard, 255mm medium duty drop sides, internal load restraint rails and rope rails. It also features Mazda-branded tailgate decals and mudguards. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.



PREMIUM MAZDA ALLOY TRAY

Features additional to the Standard Alloy Tray include a tubular headboard, tail light protector, wiring guards, tubular ladder rack, 23L water tank, slimline tool box and rear window protector. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.



MIRROR-INTEGRATED REVERSE PARKING CAMERA

A screen displays rear-camera vision in the rear view mirror for safer reversing and assistance with parking, while the auto-dimming function reduces glare.



TOW BAR

A custom tow bar made specifically to accommodate the BT-50's impressive braked towing capacity of 3,500kg and 350kg maximum tow ball download (Hi-Rider models only), or 2,500kg braked towing capacity and a 250kg maximum tow ball download* (2.2L manual model only).



E DENGTROOLNLIEGR BRAKE

Supplies power to a towed trailer's electric brakes when the BT-50's brakes are applied.

ALSO AVAILABLE:

Audio retractable Lightning cable

Audio retractable Micro USB cable

Black tubular side steps (Freestyle models)

Boss Tray kit

Dual battery kit (for tub and tailgate liners

& Cab Chassis models)

Front and rear parking sensors kit

Heavy duty canopy roof racks

Lightforce anti-theft kit

Polished tubular side steps (Freestyle models)

Railguards (Utilities only)

Remote keyless entry for hard tonneau cover

Retractable audio cable (3.5mm male-to-male)

Slimline canopy roof racks

Soft tonneau cover (Freestyle models)

Tow ball

Tow ball cover

Trailer wiring harness

Tray mat (Freestyle models)

Tray Upgrade kit

Tub and tailgate liner

(Freestyle models)

16-inch 5-spoke alloy wheels

16-inch 8-spoke black alloy wheels

SEE THE FULL RANGE OF MAZDA GENUINE ACCESSORIES AT MAZDA.COM.AU

* Tow ball and wiring loom sold separately. Subject to State or Territory regulations.

All care is taken to ensure the accuracy of this brochure and availability of items at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any products in the brochure from the market. Equipment shown in the brochure is for illustrative purposes only and does not come standard with the vehicle, or as Mazda Genuine Accessories. Specifications, features and availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on availability, specifications, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804, 211A Wellington Road, Mulgrave, Victoria 3170. Mazda Genuine Accessories fitted at the point of sale of a new Mazda BT-50 are covered under the Mazda 3-year or 100,000 kilometre (whichever should occur first) or 2-year unlimited kilometre warranty. Mazda Genuine Accessories fitted after the sale of a new Mazda vehicle are covered by the Mazda 2-year or 40,000 kilometre warranty (whichever should occur first). Published October 2016. MAZ12943 126.029