

Toyota Hilux. Ready for anything.



Hilux is trusted worldwide for its strength and durability. Built tough, designed to perform.



Since 1968, over 13 million Toyota Hilux have blazed trails around the world.



Single, Extra or Double Cab, or even deckless. Two engines, four grades. Hilux has got it covered.



Quality and durability define Hilux. The interior is designed for comfort and functionality.



The gripping, go-anywhere 4WD performance upholds Hilux's legendary off-road reputation.





















Built to go further

Tested in extreme conditions and guided by Toyota's long-standing dedication to quality, the supreme off-road abilities of Hilux should come as no surprise.

Hilux's strength lies in a rock-solid ladder chassis and its Toyota Outstanding Performance (TOP) platform. Common to 4WD and 2WD models, this is rigid and incredibly strong. It's the foundation for Hilux's reliability and durability, enhanced by anti-corrosion panels and a rust-resistant body.

High clearance and a robust suspension make light work of riverbeds, dunes and streams. On slippery surfaces, a Limited Slip Differential (LSD) varies the torque output between the rear wheels.

When conditions change, Automatic Disconnecting Differential (ADD) enables easy, in-motion switching between 4WD and 2WD, with 2WD offering greater fuel efficiency and reduced noise.



See Hilux in action

Point your smartphone or webcam at the QR code and watch how Hilux tackles the toughest terrain.





TOP platform

The Toyota Outstanding Performance (TOP) platform uses fewer welding joints for greater strength and rigidity.

Double-wishbone front suspension

Absorbing bumps with ease, the robust double-wishbone front suspension delivers ride comfort and stability.

Rear leaf spring suspension

Traditional leaf springs give great articulation on tough terrain and allow for maximum loading capacity.



Comfort and convenience

The interior is defined by quality and durability. The sophisticated dark trim feels good; the layout is a blend of functionality and design.

Hilux is intelligent. A dusk sensor switches on lights automatically. Choose Toyota Touch*, the advanced touch screen with multimedia capabilities. Toyota Touch is linked to a rear camera for safer reversing. Satellite navigation is also available§.





 See the image from a rear camera for safer reversing





- Access advanced satellite navigation[§]
- Control the radio/CD and portable music players, with full iPod integration
- Make hands-free calls via your mobile phone⁶



- * Available as an option on SR and SR+ grades.
- * Requires compatible Bluetooth®-enabled phone.
- § Available on SR and SR+ grades as an accessory (page 24).

Toyota Touch*

enables you to:

Toyota Touch is a 6.1" colour

touch screen interface that



A win-win choice of engines

Choose from two capable and efficient turbodiesel D-4D engines. The 2.5 litre version is available with 2WD or 4WD; the 3.0 litre alternative is matched with 4WD and a choice of 5-speed manual or automatic transmission.

Both deliver excellent low speed torque and high speed power, and are equipped with a Diesel Particulate Filter (DPF)* to minimise emissions.

2.5 litre diesel D-4D 5 M/T 2WD	5 M/T 4WD	3.0 litre diesel D-4D [♦] 5 A/T 4WD	5 M/T 4WD
Power 144 DIN hp	144 DIN hp	171 DIN hp	171 DIN hp
Fuel consumption [§] 7.3 litres to every 100 km	7.3 litres to every 100 km	8.6 litres to every 100 km	7.6 litres** to every 100 km
CO₂ emissions§ 193 g/km	194 g/km	227 g/km	199 g/km**
Maximum torque 343/ 1600-2800 Nm/rpm	343/ 1600-2800 Nm/rpm	360/ 1400-3200 Nm/rpm	343/ 1400-3400 Nm/rpm
Available on all grades		Available on DLX+ (5 M/	Γ only), SR, SR+



M/T = Manual transmission
* Except in Russia and Ukraine.

A/T = Automatic transmission


§ Combined cycle. O Double Cab only.

** DLX+ grade.



Totally committed to your safety

Active and passive safety features ensure that Hilux performs as strongly in this field as it does in every other. To keep you safe, systems include Anti-lock Braking System (ABS) with Electronic Brake force Distribution (EBD), Brake Assist (BA), Traction Control (TRC), Vehicle Stability Control (VSC) and Limited Slip Differential (LSD). And if an accident does occur, up to six SRS airbags* help to protect you and your passengers.




Anti-lock Braking System (ABS) with Electronic Brake force Distribution (EBD)

ABS prevents wheels from locking while braking, while EBD optimises brake force distribution. Together they help to maintain control.



Supplemental Restraint System (SRS) airbags

Fitted with up to six airbags*, including SRS airbags for driver and passenger, side airbags and curtain shield airbags for front and rear passengers.



Brake Assist (BA)

If you attempt an emergency stop, BA will detect this and instantly apply additional brake pressure. This enables ABS to work to its maximum potential and bring you to a stop more quickly.



Vehicle Stability Control (VSC)

VSC automatically activates each individual brake as needed and controls engine output to help maintain stability and prevent skidding when turning sharply or cornering on slippery road surfaces.



^{* 6} airbags only available on SR+. Driver & passenger front airbags on all grades.



Selected details and features

Tie-down hooks

Secure your load easily with tie-down hooks, fitted to the load box exterior.

USB/aux-in terminal

Enjoy your favourite music selection by connecting your iPod or other external audio devices to the USB/aux-in terminal.

Chrome heated door mirrors with turning signal

Turning signals are integrated into the chrome, electric and heated door mirrors for a streamlined appearance.







Grade availability:DLX, DLX+ (Single Cab only)

Grade availability: SR, SR+

Grade availability: SR, SR+

Automatic gear shift

Stitched leather with silver accent for comfort. Available with the 3.0 litre D-4D engine.

Rear-view camera

When reversing, the audio display screen automatically switches to images captured by the camera in the tailgate.

Leather steering wheel

A leather-trimmed steering wheel with silver accents adds comfort and sophistication.









Grade availability:

SR, SR+

Grade availability:

SR, SR+

Grade availability:

SR, SR+


Choose the Hilux to suit your needs

Everyone's needs are different. That's why Hilux is available in many useful configurations: Single, Extra and Double Cab versions, with deckless variants on Single Cab only. Discover a choice of 2WD/4WD, engine sizes and transmissions; four grades of equipment ensure a perfect match.



Hilux line-up

To see the full line-up online, together with 360-degree images and full specifications, point your smartphone or webcam at the graphic above.



















Options:

— 15" wide steel wheels§

- 15" alloy wheels**

— VSC with 17" steel wheels[◊]



DLX

Main features

- -16" steel wheels
- Deck guard frame
- Black bumpers/mirrors/handles
- Tie-down hooks*
- Front and rear mudguards
- Heated door mirrors
- Slide-opening rear window (without defogger)

DLX is available in the above bodystyles.

DLX+

Main features (additional to DLX grade)

Electric pack (standard)

- Electric windows
- Wireless door locks
- Dealer-installed audio
- Heated and electric door mirrors

Styling pack (optional on Double Cab only)

- Colour-keyed front bumpers
- Colour-keyed overfenders
- 15" wide steel wheels

DLX+ is available in the above bodystyles.

^{**} Double Cab 4WD 2.5 litre and Extra Cab 4WD only.

^{*} Single Cab only.

§ Double Cab 2.5 litre and Extra Cab only.

Oouble Cab 4WD 3.0 litre only.

















SR

Main features (additional to DLX+ grade)

- 15" alloy wheels
- Fog lamps and headlamp cleaners
- Colour-keyed front bumper
- Privacy glass
- Dusk sensor§§
- Chrome rear bumper and handles
- Chrome heated and electric door mirrors with integrated turning signal
 Colour-keyed overfenders
- -----

Options:

— Side steps

SR+

Main features (additional to SR grade)

- 17" alloy wheels
- Dusk sensor^{§§}

Options:

— Side steps

SR is available in the above bodystyles.

SR+ is available in the above bodystyle and 4WD only.

^{§§} Standard on 3.0 litre SR and SR+, optional on 2.5 litre SR and SR+.











DLX

Main features

- Semi low grey fabric
- Manual windows
- Manual door locking
- Rear differential lock
- 2 front airbags: driver and passenger
- Anti-lock Braking System (ABS)
- Rear seats with tip-up function*

Options:

- Limited Slip Differential (LSD)
- Manual air conditioning

Fleet Pack§

— Vinyl/PVC seats with 40/60 split bench

DLX+

Main features (additional to DLX grade)

- Front power windows
- Wireless door lock

Options:

- Limited Slip Differential (LSD)
- Manual air conditioning

Fleet Pack§

Vinyl/PVC seats with 40/60 split bench











SR

Main features (additional to DLX+ grade)

- Full high grey fabric
- Front sport seats^o
- Leather steering wheel, gear shift knob and handbrake
- Multi-information display
- Optitron meters
- Audio controls on steering wheel
- USB/aux-in terminal
- Manual air conditioning
- Silver-coloured inserts
- Privacy glass

- Toyota Touch: 6.1" touch screen, rear-view camera display, 6-speaker radio/CD player with aux-in/USB and Bluetooth®
- 6 airbags: 2 front (driver and passenger), 2 side and 2 curtain airbags

Options:

- Limited Slip Differential (LSD)
- Leather seats with seat heaters

SR+

Main features (additional to SR grade)

- Front sport seats
- Cruise control**
- Automatic air conditioning
- Vehicle Stability Control (VSC)
- Brake Assist (BA)
- Electronic Brake force Distribution (EBD)

Options:

— Leather seats with seat heaters

Accessories

Choice, purpose and personality. Wherever life takes you and your Hilux, genuine Toyota accessories add those extra touches of individuality that make every journey even more special.

1. Front underguard

Stylish silver finish guard to protect the underbody against stone chips.

2. Fog lamp surround

Complements your car's fog lamps and bumper with a stylish chrome detail.

3. Hard top with windows

Stylish design featuring rear and side windows.

4. Front grille

Uniquely designed for that look of power and performance.



5. Rear light bezel

Introduces a stylish chrome surround to the rear light cluster.

6. Aluminium bed liner - wheel arches

Added wheel arch protection for use with the aluminium bed liner.

7. Bed extender

Clips onto deck hooks and around the dropped tailgate to secure long loads.

8. Roll n' lock tonneau cover

The lockable slatted aluminium design can be rolled back for quick access.

9. Hard tonneau cover

Tough practicality with a lockable hinged lid. Can be painted to match your car.

10. Aluminium tonneau cover

Secures cargo in the bed and can take another load on top. Natural aluminium finish.

Contact your local Toyota retailer for details of the full accessory range.



Accessory packs

Toyota Hilux accessory packs are designed for individuality, convenience and value. They create options for added style, extra practicality and, with the Invincible pack, a special combination of both.

Reassuringly, each pack is co-ordinated for seamless integration. Every accessory is made with the same attention to detail as your Hilux itself.



	Single	e Cab		Extra Cab			Doubl	e Cab	
PACKS	DLX	DLX+	DLX	DLX+	SR	DLX	DLX+	SR	SR+
Style Pack									
TNEX300 Touch & Go navigation					•			•	•
Front guard					•			•	•
Towing hitch and wiring harness					•			•	•
Leather handbrake					0			0	0
Padded armrest					0			0	0
Scuff plates					0			0	0
Interior chrome kit*					0			0	0
Utility Pack									
TNS350	•	•	•	•		•	•		
Rear-view camera	•	•	•	•		•	•		
Towing hitch and wiring harness	•	•	•	•		•	•		
Invincible Pack									
Invincible badge									•
Scuff plates									•
Front guard									•
TNEX300 Touch & Go navigation									•
Padded armrest									•
Leather handbrake									•
Interior chrome kit*									•
Towing hitch and wiring harness									•
17" alloy wheels									0
Leather interior									0
Hard top									0
Roll n' lock tonneau cover									0

^{● =} Available ○ = Optional
* Interior chrome kit includes: gear shift bezel (for automatic transmission) and instrument bezel.

Wheels and trims

Choose a wheel and trim combination to add extra style, inside and out.





16" steel wheels 205/70R16 Standard on DLX and DLX+



17" steel wheels 265/65R17 Optional on DLX+*



15" alloy wheels 255/70R15 Standard on SR, optional on DLX+*



17" alloy wheels 265/65R17 Standard on SR+



Vinyl/PVC
Optional on Single Cab DLX
and DLX+



Semi low grey fabric Standard on DLX and DLX+



Full high grey fabric Standard on SR and SR+



LeatherOptional on SR and SR+

Colours

Eight durable paintwork options complete the Hilux look. Which one suits you?



^{*} Availability depending on body type and engine choice. See page 31.

Specifications

ENVIRONMENTAL PERFORMANCE	2.5 litre D-4D 2WD 5 M/T Single Cab DLX grade	2.5 litre D-4D 4WD 5 M/T Single Cab DLX grade	3.0 litre D-4D 4WD 5 M/T Double Cab DLX+ grade	3.0 litre D-4D 4WD 5 A/T Double Cab SR grade
Fuel consumption (EU directive EC 715/2007 as last modified l	by directive EC 692/2008E)			
Combined driving (litres/100 km)	7.3	7.3	7.6 (7.7 SR grade)	8.6
Urban driving (litres/100 km)	8.6	8.6	9.3 (9.5 SR grade)	10.9
Extra urban driving (litres/100 km)	6.6	6.6	6.6 (6.7 SR grade)	7.3
Recommended fuel grade	Diesel (48 cetane or more)	Diesel (48 cetane or more)	Diesel (48 cetane or more)	Diesel (48 cetane or more)
Fuel tank capacity (litres)	80 litres	80 litres	80 litres	80 litres
Carbon dioxide, CO ₂ (EU directive EC 715/2007 as last modifie	d by directive EC 692/2008E)			
Combined driving (g/km)	193	194	199 (203 SR grade)	227
Urban driving (g/km)	227	228	244 (248 SR grade)	286
Extra urban driving (g/km)	173	173	173 (178 SR grade)	193
Exhaust emissions (EU directive 70/220/EEC as last modified l	by directive 2003/76/EC)			
Euro class	Euro 5	Euro 5	Euro 5	Euro 5
Carbon Monoxide, CO (g/km)	0.2807	0.2807	0.4049	0.3552
Hydrocarbons, THC (g/km)	-	-	-	_
Nitrogen Oxides, NOx (g/km)	0.1918	0.1918	0.2064	0.2306
Hydrocarbons, THC & Nitrogen Oxides, NOx (g/km)	0.2188	0.2188	0.2447	0.2325
Particulates, PM (g/km)	0.00046	0.00046	0.00109	0.00093
Noise (drive-by) (Directive 70/157/EEC as last modified by directive 70/157/EE	ective 1999/101/EC)			
Noise dB(A)	73	73	74	70

The fuel consumption and CO_2 values are measured in a controlled environment, in accordance with the requirements of Directive 80/1268/EEC incl. its amendments, on a basic production vehicle. For further information, or if you are interested in buying a basic production vehicle, please contact your local retailer. The fuel consumption and CO_2 values of your vehicle may vary from those measured. Driving behaviour as well as other factors (such as road conditions, traffic, vehicle conditions, installed equipment, load, number of passengers, ...) play a role in determining a vehicle's fuel consumption and CO_2 emissions.

ENGINES	2.5 litre D-4D 2WD 5 M/T	2.5 litre D-4D 4WD 5 M/T	3.0 litre D-4D 4WD 5 M/T	3.0 litre D-4D 4WD 5 A/T
Engine code	2KD-FTV	2KD-FTV	1KD-FTV	1KD-FTV
Number of cylinders	4 in line	4 in line	4 in line	4 in line
Valve mechanism	16 valve DOHC	16 valve DOHC	16 valve DOHC	16 valve DOHC
Fuel injection system	Direct injection common rail			
Displacement (cc)	2494	2494	2982	2982
Bore & stroke (mm x mm)	92.0 x 93.8	92.0 x 93.8	96.0 x 103.0	96.0 x 103.0
Compression ratio	15.6:1	15.6:1	15.0:1	15.0:1
Maximum output (kW/rpm)	144 DIN hp (106/3400)	144 DIN hp (106/3400)	171 DIN hp (126/3600)	171 DIN hp (126/3600)
Maximum torque (Nm/rpm)	343/1600–2800	343/1600–2800	343/1400–3400	360/1400–3200

PERFORMANCE	2.5 litre D-4D 2WD 5 M/T	2.5 litre D-4D 4WD 5 M/T	3.0 litre D-4D 4WD 5 M/T	3.0 litre D-4D 4WD 5 A/T
Maximum speed (km/h)	170	170	170	175
0–100 km/h (secs)	14.1	13.3	12.1	12

OFF-ROAD PERFORMANCE	Single Cab 2WD/4WD	Extra Cab 2WD/4WD	Double Cab 2WD/4WD
Minimum running ground clearance (mm)	212	212	212*
Approach angle (°)	30	30	30
Departure angle (°)	22	22	22
Ramp break over angle* (°)	25	25	25
Limit angle of vehicle turn over (°)	48 (with 16" wheels) 49 (with 15" wheels)	48 (with 16" wheels) 49 (with 15" wheels)	48

A/T = Automatic transmission

M/T = Manual transmission

* 227 mm with 17" wheels.

Specifications

•											
TRANSMISSION		DLX (Single Cab, Extra Cab, Double Cab)	DLX+ (Si Extra Cal	ngle Cab, o, Double Cab)	SR (Extra Cab, Double C	ab)	SR+ (Double Cab)				
Gearbox type		5 M/T	5 M/T		5 M/T and 5 A/T*		5 M/T and 5 A/T*				
Drive type		4x2 or 4x4	4x2 or 4x	4	4x2 or 4x4		4x4				
BRAKES											
Front		Ventilated discs									
Rear		Leading/trailing drums									
DIMENSIONS		Single Cab		Extra Cab		Double C	ab				
Length (mm)		5260 (5135°)		5260 (5135°)		5260 (51	.35§)				
Width (mm)		1835 with overfenders 1760 without overfenders		1835 with overfender 1760 without overfer		1835 with overfenders 1760 without overfenders					
Height (mm)		1795		1835		1850 (18	60 with 17" wheels)				
Wheelbase (mm)		3085		3085		3085					
Front and rear tread (mm)		1510		1510 (with 16" wheel 1540 (with 15" wheel		1510 (with 16" wheels) 1540 (with 15" wheels)					
Minimum turning radius: 4x2 (m)				6.1 (tyre)-	6.5 (body)						
Minimum turning radius: 4x4 (m)				6.2 (tyre)-	6.6 (body)						
Deck space											
Deck height (mm)		450		450		450					
Deck length (mm)		2340		1830		1545					
Deck width (mm)		1520		1515		1515					
WEIGHTS		Single Cab Extra Cab		Single Cab Extra Cab		Extra Cab Do		Extra Cab		Double C	ab
Kerb weight (kg)	2WD 4WD	1730–1800 1835–1910		1780–1855 1900–1965		1815–1910 1895–1995 (1930–2050 for 3.0 litre)					
Gross vehicle weight (kg)	2WD 4WD	2640 2640		2590 2620		2600 2690–2730 (3.0 litre)					

WEIGHTS	Single Cab	Extra Cab	Double Cab
Towing capacity with brakes (kg)		2500	
Towing capacity without brakes (kg)		750	

		Single	e Cab				Extra	a Cab			Double Cab								
TYRES AND WHEELS	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	4WD SR+		
15" steel wheels 255/70R15	-	-	-	-	-	-	0	0	-	-	-	-	0	00	-	-	-		
16" steel wheels 205/70R16	•	•	•	•	•	•	•	•	-	_	•	•	•	•	-	-	-		
17" steel wheels 265/65R17	-	_	-	-	-	_	-	-	-	_	-	_	-	0**	-	-	-		
15" alloy wheels 255/70R15	-	-	-	-	_	-	-	0	•	•	-	-	-	00	•	•	-		
17" alloy wheels 265/65R17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•		







● = Standard ○ = Optional

-= Not available

M/T = Manual transmission

A/T = Automatic transmission

Measurements shown for Double Cab with overfenders and 15" wheels.

* Only on 3.0 litre Double Cab.

§ Without rear bumper (deckless variant).

 $^{^{\}circ}$ Only on 2.5 litre engine. ** Only on 3.0 litre engine.

Equipment

		Singl	e Cab				Extra	Cab					D	ouble Ca	b		
EXTERIOR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	4WD SR+
Front bumper: material colour	•	•	•	•	•	•	•	•	-	-	•	•	•	•	-	_	_
Front bumper: colour-keyed	_	_	-	-	-	_	_	_	•	•	_	_	0	0	•	•	•
Rear bumper: grey steel painted	•	•	•	•	•	•	•	•	-	-	•	•	•	•	-	-	_
Rear bumper: chrome plated	_	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•
Side steps	-	-	-	-	-	-	-	-	0	0	-	-	-	-	0	0	0
Overfenders: colour-keyed	_	-	-	-	-	-	-	-	•	•	-	-	0	0	•	•	•
Front and rear mudguards	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Door handles: black	•*	•*	•	•	•*	•*	•	•	-	_	•*	•*	•	•	-	-	_
Door handles: chrome	_	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•
Door mirrors: black, heated	•	•	-	-	•	•	-	-	-	-	•	•	-	-	-	-	_
Door mirrors: black, heated and electric	_	-	•	•	-	-	•	•	-	-	-	-	•	•	-	-	_
Door mirrors: chrome, heated and electric with integrated turning signal	-	_	_	_	-	-	_	_	•	•	-	-	-	-	•	•	•
Deck guard frame with stopper	•	•	•	•	•	•	•	•	-	-	•	•	•	•	-	-	_
Tie-down hooks	•	•	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-
Front fog lamps	-	-	-	-	-	-	-	-	•	•	-	-	0	0	•	•	•
Slide-opening rear window	•	•	•	•	•	•	-	-	-	_	•	•	-	-	-	-	-

^{● =} Standard ○ = Optional − = Not available

^{*} With driver and passenger key cylinder.

§ Standard on 3.0 litre SR and SR+, optional on 2.5 litre SR and SR+.

Only on 3.0 litre engine.

		Single	e Cab				Extra	a Cab					D	ouble Ca	b		
COMFORT	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	4WD SR+
Manual air conditioning	0	0	0	0	0	0	0	0	•	•	0	0	0	0	•	•	_
Automatic air conditioning	-	_	-	-	-	-	-	-	-	-	-	_	_	-	-	-	•
4-spoke urethane steering wheel & gear shift	•	•	•	•	•	•	•	•	-	-	•	•	•	•	-	-	_
4-spoke leather steering wheel with silver inserts	-	-	-	-	-	-	_	-	•	•	-	-	-	-	•	•	•
Leather gear shift knob and handbrake	-	-	-	-	-	-	_	-	•	•	-	-	-	-	•	•	•
Silver-coloured insert on centre cluster	-	-	-	-	-	-	_	-	•	•	-	-	-	-	•	•	•
Power door lock/wireless door lock	-	-	•	•	-	-	•	•	•	•	-	-	•	•	•	•	•
Power window with auto down: driver	-	-	•	•	-	-	•	•	•	•	-	-	•	•	•	•	•
Rear window defogger	-	-	-	-	-	-	•	•	•	•	-	-	•	•	•	•	•
Dusk sensor	-	-	-	-	-	-	_	-	●§	● §	-	-	-	-	●§	●§	●§
Console box with lid	•	•	•	•	•	•	•	•	•	•	-	-	-	-	-	-	_
Console box with lid & rear cup holder	-	-	-	-	-	-	_	-	-	-	•	•	•	•	•	•	•
Optitron meters	-	-	-	-	-	-	_	-	•	•	-	-	-	-	•	•	•
Multi-information display	-	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•
Rear-view camera display on Toyota Touch	-	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•
Cruise control	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	• 0
Privacy glass	-	-	-	_	-	-	-	-	•	•	-	-	-	-	•	•	•

Equipment

		Singl	e Cab				Extra	a Cab			Double Cab							
AUDIO	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	4WD SR+	
Audio switches on steering wheel	-	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•	
2 speakers, audioless	•	•	•	•	•	•	_	_	-	-	-	-	-	-	-	_	-	
4 speakers, audioless	_	-	-	-	-	-	•	•	-	-	•	•	•	•	-	-	-	
6 speaker radio/CD player	_	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•	
USB/aux-in terminal for iPod and MP3 player	_	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•	
Toyota Touch:																		
6.1" touch screen	_	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•	
Full control of iPod and MP3 player via the touch screen	-	_	-	_	_	-	-	_	•	•	_	_	_	_	•	•	•	
Bluetooth® for hands-free calls and music streaming	-	_	_	_	-	-	_	_	•	•	-	-	_	_	•	•	•	

		Single Cab					Extra	a Cab			Double Cab							
4X4 TECHNOLOGY	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	4WD	
	DLX	DLX	DLX+	DLX+	DLX	DLX	DLX+	DLX+	SR	SR	DLX	DLX	DLX+	DLX+	SR	SR	SR+	
Auto disconnect differential	-	•	-	•	-	•	-	•	-	•	-	•	-	•	-	•	•	
Limited Slip Differential (LSD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_*	
Rear differential lock	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•*	
4WD transfer lever & knob	-	•	_	•	_	•	-	•	-	•	-	•	_	•	-	•	•	

		Single Cab					Extra	a Cab			Double Cab							
SEATS	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	4WD	
	DLX	DLX	DLX+	DLX+	DLX	DLX	DLX+	DLX+	SR	SR	DLX	DLX	DLX+	DLX+	SR	SR	SR+	
Separate front seats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Front bench seat with 40/60 split	0	0	0	0	-	_	_	_	-	-	-	-	_	-	-	_	_	
Front sport seats	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●\$	•	
Rear seat with tip-up function	_	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	

		Singl	e Cab				Extra	a Cab			Double Cab							
SEATS	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	4WD SR+	
Seat trim: vinyl/PVC	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	_	
Seat trim: semi low grey fabric	•	•	•	•	•	•	•	•	-	-	•	•	•	•	-	-	-	
Seat trim: full high grey fabric	-	-	-	-	-	-	-	-	•	•	-	-	-	-	•	•	•	
Seat trim: leather	_	-	-	-	-	-	-	-	0	0	-	-	-	-	0	0	0	
Seat heaters: driver and passenger (leather seats only)	-	_	_	_	_	_	_	_	0	0	_	_	_	_	0	0	0	

		Singl	e Cab				Extra	a Cab			Double Cab							
SAFETY	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	2WD DLX	4WD DLX	2WD DLX+	4WD DLX+	2WD SR	4WD SR	4WD SR+	
ABS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
VSC, EBD, BA	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	
2 SRS front airbags: driver and passenger	•	•	•	•	•	•	•	•	-	-	-	-	-	-	-	-	_	
6 SRS front, side and curtain airbags: driver and passenger	_	_	_	_	_	_	_	_	•	•	_	_	_	_	•	•	•	
Headlamp cleaners	-	-	-	-	_	-	-	-	•	•	-	-	-	-	•	•	•	
Child protection lock	_	_	_	_	_	_	_	_	_	_	•	•	•	•	•	•	•	

		Single	e Cab				Extra	a Cab			Double Cab							
SECURITY	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	2WD	4WD	4WD	
	DLX	DLX	DLX+	DLX+	DLX	DLX	DLX+	DLX+	SR	SR	DLX	DLX	DLX+	DLX+	SR	SR	SR+	
Immobiliser	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Tailgate key	-	_	_	-	•	•	•	•	•	•	•	•	•	•	•	•	•	

^{• =} Standard \circ = Optional - = Not available

 $^{^{\}star}$ 3.0 litre engine with VSC (without differential lock and LSD); 2.5 litre engine with VSC and differential lock (without LSD).

[§] Standard on 3.0 litre Double Cab 4WD and optional from 2.5 litre 4WD.


Glossary

Learn more about the advanced engineering, sophisticated safety systems and hi-tech equipment that make Hilux a natural leader.



Supplemental Restraint System (SRS) airbags

The Hilux is fitted with six airbags. They include SRS airbags for both driver and passenger, side airbags and curtain shield airbags covering both the front and rear seat passengers.



Brake Assist (BA)

If you attempt an emergency stop, BA will detect this and apply additional brake pressure. This enables ABS to work to its maximum potential.



Vehicle Stability Control (VSC)

VSC automatically activates each individual brake as needed and controls engine output to help maintain stability and prevent skidding when turning sharply or cornering on slippery road surfaces.




Front and rear suspension

For Toyota's heavy-duty vehicles, suspension is designed with strength and endurance in mind. From leaf springs and semi-trailing arm systems to double-wishbone front suspension, every combination delivers optimum performance and ride comfort.



Anti-lock Braking System (ABS) with Electronic Brake force Distribution (EBD)

ABS prevents the wheels from locking while braking. EBD complements this by optimising brake force distribution between each wheel to compensate for different loads. Together the two systems help you to maintain steering control when braking heavily.



Dusk sensor

The dusk sensor monitors light levels and automatically switches on the headlights when the light is low.



Traction Control (TRC)

If you accelerate too hard and cause the drive wheels to lose grip and begin spinning, TRC will automatically reduce engine power and control brake force to help restore traction.



Manual transmission

Toyota's manual transmissions are designed for precise, smooth gear changes. Efficiency can easily be maximised yet power is always at hand for overtaking. The result is an engaging and dynamic driving experience.



2.51D-4D

Matched with 2WD or 4WD, the 2.5 litre D-4D engine provides optimum power and torque. Lower engine friction maximises fuel efficiency and reduces emissions, while noise and vibration have been minimised for greater comfort.



Automatic transmission

Toyota's automatic transmissions offer a smooth, effortless drive with minimal driver effort. Gear changes are quick and responsive, and additional manual modes enable greater control if required. Automatic transmissions are engineered for the best balance of performance and economy.



3.01D-4D

The 3.0 litre D-4D diesel engine offers power when you need it. This is balanced with efficiency and clean diesel technology, with fuel injected at high pressure for superior performance and a smoother driving experience.



Toyota Touch

Toyota Touch* is a 6.1" colour touch screen with multimedia capabilities that displays vehicle information, and is also linked to a rear-view camera for safer reversing.

^{*} Some functions may be available on selected models only.

Owning a Hilux means you enjoy the peace of mind afforded by Toyota's global reputation for quality and integrity.







Intelligent engineering

The Hilux is designed and engineered to minimise maintenance. There are fewer parts that require servicing and those that do are more durable to extend service intervals. Hilux technology is made easily accessible so that labour time is minimised. Competitively priced Toyota spares ensure the lowest cost for maintaining your Hilux.

Toyota quality service

Your Toyota retailer is here to help and guide you in all your service requirements.

Your Hilux will need a full Health and Safety check, dependent on driving style and conditions, up to once every two years or 30,000 km (whichever comes sooner). An intermediate Health and Safety check is necessary every year or 15,000 km (whichever comes sooner).

Comprehensive warranty

3-year vehicle warranty covers any defect caused by a manufacturing or assembly fault. It is valid for 3 years of normal use or 100,000 km, whichever comes first, with no mileage limitation for the first year.

If the car is immobilised due to a breakdown (as a result of a defect covered under warranty), you will also be covered for the cost of towing your vehicle to the nearest authorised Toyota repairer.

3-year paint warranty covers surface rust and paint defects appearing on any of the painted body panels as a result of a fault in materials for a period of 3 years, regardless of mileage.

12-year anti-perforation warranty covers against perforation of the bodywork (from inside to outside) that develops due to corrosion caused by faults in materials or workmanship, regardless of mileage.







Toyota genuine parts

Hilux is designed to minimise the cost of accident repair. Energy-absorbing elements are built into the bumpers, expensive-to-replace parts are located away from damage zones, and commonly damaged body parts are bolted rather than welded. As a result, the extent of damage is limited and damaged parts are easy to remove, replace or repair. Ultimately, this means very low parts and labour charges.

Toyota Eurocare

In order to help you enjoy peace of mind driving, we are pleased to provide 3 years'* Toyota Eurocare roadside assistance coverage in no fewer than 40 European countries. If you experience a problem with your Hilux, Toyota Eurocare offers several possibilities to keep you on the road.

Added security

The Hilux security system withstands the insurance industry's rigorous 5-minute attack test and provides excellent protection. Both the alarm system and engine immobiliser are approved by Europe's major insurance companies.

Toyota accessories

Toyota accessories are designed and manufactured with the same care, quality and attention to detail as Toyota vehicles. Tailor-made for your Toyota, they fit perfectly and add a personal touch of style, comfort and practicality. And because they've been tested under the most severe conditions, you can have complete confidence in their reliability and durability. To add to the reassurance, every genuine Toyota accessory has a 3-year warranty when purchased together with the vehicle§.

- * Belgium 5 years, Portugal and Denmark 1 year.
- [§] Check with your retailer for specific warranty details.

Toyota takes great pride in constantly improving environmental performance.





Designing your car

Each design detail on our vehicles is analysed to ensure the lowest possible environmental impact throughout its life cycle. This meticulous approach has led to an array of innovative features on our cars that contribute to environmental efficiency.

Less CO₂ used to build a Hilux since 2002


Making your car

At Toyota, every effort is made to ensure environmental efficiency throughout the manufacturing process.

- National sales centres
- Logistics centres vehicles
- Logistics centres accessories/spares
- Production sites
- Supporting companies
- Training centres

As a worldwide corporation we aim to be wherever our customers need us, and therefore we have a strong presence in Europe. This shortens delivery distances and results in substantial time savings that are good for you and the environment.





Toyota is always looking to employ the most efficient and environmentally friendly logistical and delivery methods.



Selling and servicing your car

We have developed a sustainable retailer programme to reduce energy, water and waste emissions generated across our network. This covers everything from rainwater recycling, introducing additional roof insulation and using renewable energy at new retailers, as well as carrying out energy audits to identify efficiency improvements at existing retailers.

95% of your Hilux is recoverable

The end of the road for your vehicle?

Toyota always designs and manufactures its vehicles with an eye on the three Rs: reduce, reuse and recycle. For example, 95% of every Hilux is reusable and recoverable, 100% of materials are coded and four heavy metals have been eliminated completely in accordance with 2000/53/EC. In addition, our environmental policy means that we offer Toyota drivers new and innovative ways of returning their old car. For more information visit: www.toyota.eu or contact your local Toyota retailer.

20-30% less fuel and CO₂

Drive thoughtfully

Drive your car in the right way and you could reduce your fuel bill and your CO_2 emissions by around 20-30%.

- 01. Remove any extra weight and roof load.
- 02. Plan your route and avoid detours.
- 03. Avoid using your car for short journeys.
- 04. Check your tyre pressure regularly.
- 05. Service your car according to the owner's manual.
- 06. Shift up gear earlier.
- 07. Only use air conditioning when necessary.
- 08. Follow and anticipate traffic flow.
- 09. Keep your windows closed.
- 10. Switch off your engine if you have to wait longer than 60 seconds.

For Toyota, quality is a way of life.

Nothing is so good it cannot be made better.







To experience the new Hilux or for more information, please contact your local retailer or visit our website



www.toyota-europe.com/hilux



Point your smartphone or webcam at the graphic and start a new experience of Hilux.

To the best of our knowledge, all information in this brochure is correct at time of going to print. Details of specifications and equipment provided in this brochure are subject to local conditions and requirements and may, therefore, vary from models available in your area. Please enquire with your local retailer for details on your local specifications and equipment. • Vehicle body colours may differ slightly from the printed photographs in this brochure. • The readability of QR Codes® present in this brochure may differ according to the scanner used. Toyota cannot be held responsible should your device not be able to read any QR Codes®. • Toyota Motor Europe reserves the right to alter any details of specifications and equipment without prior notice. • © 2011 by Toyota Motor Europe NV/SA ('TME'). • No part of this publication may in any way be reproduced without the prior written approval of Toyota Motor Europe.

Today Tomorrow Toyota